# Page 1/5

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/ UNDERTAKING

1.1 1.1.1	Identification of the substance Commercial Product Name VALTTI OPAQUE (VINHA)	e or preparation
1.1.2	Product code 300 -series	
1.2 1.2.1	Use of the Substance/Prepara Intended use Painting work. Description: Semi-matt low-oc	tion lour special alkyd-reinforced acrylate paint for use on exterior wood surfaces.
1.3	Company/undertaking identifie	
1.3.1	Supplier	
		Tikkurila Oyj
1.3.2	Contact information:	
	P.O.Box	P.O.Box 53
	Postcode and post office	FI-01301 VANTAA FINLAND
	Telephone	+358 9 857 71
	Telefax	+358 9 8577 6936
1.3.4	Responsible for the Safety Data Sheet: Tikkurila Oyj, Product Safety, e-mail: productsafety@tikkurila.com	
1.4 1.4.1	Emergency telephone Telephone number, name and	address

Tikkurila Oyj, Environment and Safety: +358 9 857 71

## 2. HAZARDS IDENTIFICATION

Irritant; Xi.

May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Information on hazard labelling in section 15.1.

## **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1 Hazardous components 3.1.4 3.1.1 3.1.2 3.1.3 **CAS** number EINECS Chemical name of the **Concentration Classification** substance 26530-20-1 247-761-7 < 0,2 % 2-N-octyl-4-isothiazol-3-one T, N; R22-23/24-34-43-50/53 55406-53-6 259-627-5 3-lodo-2-propynyl butyl < 0,2 % Xn, N; R20/22-41-50 carbamate 1314-13-2 215-222-5 Zinc oxide 1 - 2,5 % N; R50/53

## 4. FIRST AID MEASURES

#### 4.2 Inhalation

### 4.3 Skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognized skin cleanser.

## 4.4 Eve contact

Irrigate copiously with clean, fresh water for at least 10 minutes.

## 4.5 Ingestion

If accidentally swallowed, drink water or milk. Obtain medical attention, when necessary.

## **5. FIRE-FIGHTING MEASURES**

5.1	Suitable extinguishing media
5.2	Extinguishing media which must not be used for safety reasons
5.3	Specific hazards

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions
- 6.2 Environmental precautions

Do not allow to enter drains or water courses.

## 6.3 Methods for cleaning up

Contain and collect spillage with absorbent materials, e.g. sand or vermiculite and place in a container for disposal according to local regulations. Clean with a detergent and water.

## 7. HANDLING AND STORAGE

7.1 Handling

Avoid skin and eve contact.

## 7.2 Storage

Keep containers tightly closed. Store in a cool, dry, well ventilated place away from sources of heat and direct sunlight.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Exposure Limit Values

#### 8.1.1 Threshold limits Zinc oxide

2 mg/m<sup>3</sup> (8 h)

## 8.1.2 Information on limit values

TLV-TWA = Threshold Limit Values - Time-weighted average according to ACGIH 2009 (American Conference of Governmental Industrial Hygienists)

### 8.2 Exposure controls

8.2.1

### Occupational exposure controls

During spray-application provide adequate ventilation. Comply with the health and safety at work laws.

## 8.2.1.1 Respiratory protection

If ventilation during spray-application is not sufficient, use respiratory protection with gas, vapour and dust filter AP.

## 8.2.1.2 Hand protection

Always wear approved protective gloves (e.g. nitrile rubber) against chemicals. Barrier creams may also help to protect the exposed areas of the skin.

## 8.2.1.3 Eye protection

During spray-application use safety eyewear designed to protect against splashes of liquids.

# VALTTI OPAQUE (VINHA)

Date 29.12.2010

### Previous date: 31.8.2007

8.2.1.4 Skin and body protection Use suitable protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1	General Information (appearance, odour) Coloured, viscous liquid	
9.2 9.2.2	Important Health Safety and Environmental Info Boiling point/range	ormation -
9.2.3	Flash point	-
9.2.5	Explosive properties	
9.2.5.1	Lower explosion limit	-
9.2.5.2	Upper explosion limit	-
9.2.7	Vapour pressure	-
9.2.8	Relative density	1,1 - 1,3
9.2.9	Solubility	
9.2.9.1	Water solubility	Soluble

10. STABILITY AND REACTIVITY		
10.1	Conditions to avoid	
10.2	Materials to avoid	
10.3	 Hazardous decomposition products Hazardous decomposition products may produce, when exposed to high temperatures.	
11. TC	XICOLOGICAL INFORMATION	
11.1	Acute toxicity	
11.2	 Primary irritation	
11.3	Sensitisation May cause sensitization by skin contact.	
11.5	<b>Human experience</b> 11.5.1 Inhalation: 11.5.2 Skin contact: Repeated or prolonged contact with the preparation may cause removal of the natural fat	

from the skin resulting in contact dermatitis. Splashes in the eyes may cause slight irritation. 11.5.3 Other effects: ---

# **12. ECOLOGICAL INFORMATION**

#### 12.1 **Ecotoxicity**

- 12.1.1 Aquatic toxicity
  - Zinc oxide: EC50 = 0,17 mg/l, selenastrum capricornutum, 72 h; very toxic.

#### 12.6 Other adverse effects

There is no data available on the preparation itself. The product should not be allowed to enter drains or water courses.

## **13. DISPOSAL CONSIDERATIONS**

13.1 Product residues: Gather residues into waste containers. Destroy according to the rules given by local authorities. EWC-code for liquid waste is e.g 08 01 11 (waste paint and varnish containing organic solvents or other dangerous substances).

13.2 Packaging: Empty cans should be recycled or disposed of in accordance with local regulations.

14. TRANSPORT INFORMATION		
14.1 14.2	UN No Packing group	
14.3 14.3.1	Land transport ADR/RID Class	not classified
14.4 14.4.1	Sea transport IMDG Class	not classified
14.4.2	Proper shipping Marine pollutan	
14.5 14.5.1	Air transport ICAO/IATA Clas	s not classified
15. RE		FORMATION
15.1 15.1.1	Information on the warning label Letter code of the warning symbol and indications of danger for the preparation Xi Irritant	
15.1.2	Names of the ingredients given on the warning label 2-N-octyl-4-isothiazol-3-one Zinc oxide	
15.1.3	<b>R-phrase(s)</b> R43 R52/53	May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
15.1.4	<b>S-phrase(s)</b> S2 S23v S24	Keep out of the reach of children. Do not breathe spray. Avoid contact with skin.

S24	Avoid contact with skin.
S29	Do not empty into drains.
S37	Wear suitable gloves.
S46	If swallowed, seek medical advice immediately and show this container or label.
S51	Use only in well-ventilated areas.

# **16. OTHER INFORMATION**

16.1	List of relevant R phrases		
	R43	May cause sensitization by skin contact.	
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	
	R20/22	Harmful by inhalation and if swallowed.	
	R22	Harmful if swallowed.	
	R23/24	Toxic by inhalation and in contact with skin.	
	R34	Causes burns.	
	R41	Risk of serious damage to eyes.	
	R50	Very toxic to aquatic organisms.	
	R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.	

### 16.4 Additional information

The information of this MSDS is based on the present state of our knowledge and on current EC laws. It is meant as a description of the safety requirements of our product: it is not to be considered as a guarantee of the products' properties.

Additional information available from: Tikkurila Oyj, Product Safety, P.O. Box 53, FIN-01301 VANTAA, FINLAND, Telephone +358 9 857 71, Fax +358 9 8577 6936, E-mail: productsafety@tikkurila.com

#### Signature

g/akk